


KO OJ *Bloown Specsheets*


Overview




Bloown Chandelier Little



Bloown Chandelier Big



Bloown Double



Bloown Double L



Bloown little




Bloown Big



Bloown Chandelier Little

Specsheet



Dimensions

L 50cm/20in
W 50cm/20in
H 50cm/20in

Weight

6kg/13lb

Materials

Recycled plastic, steel
aluminium, brass

Suspension

300cm/118in steel cable included
(Increased cable length available
upon request)
Canopy: 10cm/4in round in textured
RAL9010 finish

Illumination

Replaceable GU10 LED spots*
Input: 220VAC-240 0.12A
50/60Hz
Max power consumption:
22 Watts
Light output: 1560 Lumens
Colour Temperature: 2200-2700K
dim to warm, 90+ CRI
Life Hours: 25.000
Dimming: Phase-cut

* Comes without spots for US
clientsclientsclients.

Compliance

CE


Maintenance

Clean with dry cloth
Indoor use only



Bloown Chandelier Big

Specsheet



Dimensions

L 70cm/28in
W 70cm/28in
H 70cm/28in

Weight

7kg/15lb

Materials

Recycled plastic, steel
aluminium, brass

Suspension

300cm/118in steel cable included
(Increased cable length available
upon request)
Canopy: 10cm/4in round in textured
RAL9010 finish

Illumination

Replaceable GU10 LED spots*
Input: 220VAC-240 0.12A
50/60Hz
Max power consumption:
22 Watts
Light output: 1560 Lumens
Colour Temperature: 2200-2700K
dim to warm, 90+ CRI
Life Hours: 25.000
Dimming: Phase-cut

* Comes without spots for US
clientsclientsclients.

Compliance


CE

Maintenance

Clean with dry cloth
Indoor use only

KO OIJ *Bloown Double*

Specsheet



Dimensions

L 90cm/35in
W 20cm/8in
H 20cm/9in

Weight

5kg/11lb

Materials

Recycled plastic, steel
aluminium, brass

Suspension

300cm/118in cable included
(increased cable length available
upon request)
Canopy: 10cm/4in round in textured
RAL9010 finish

Illumination

Replaceable GU10 LED spots*
Input: 220VAC-240 0.4A
50/60HZ
Max power consumption: 8 Watts
Light output: 520 Lumens
Colour Temperature: 2200-2700K
dim to warm, 90+ CRI
Life Hours 25,000
Dimming: Phase-cut

*Comes without spots for US
clients.

Compliance


CE

Maintenance

Clean with dry cloth
Indoor use only

KO OIJ *Bloown Double L*

Specsheet



Dimensions

L 90cm/35in
W 20cm/8in
H 40cm/16in

Weight

5kg/11lb

Materials

Recycled plastic, steel
aluminium, brass

Suspension

300cm/118in cable included
(increased cable length available
upon request)
Canopy: 10cm/4in round in textured
RAL9010 finish

Illumination

Replaceable GU10 LED spots*
Input: 220VAC-240 0.4A
50/60HZ
Max power consumption: 8 Watts
Light output: 520 Lumens
Colour Temperature: 2200-2700K
dim to warm, 90+ CRI
Life Hours 25,000
Dimming: Phase-cut

*Comes without spots for US
clientsclients.

Compliance


CE

Maintenance

Clean with dry cloth
Indoor use only

KO OIJ *Bloown Little*

Specsheet



Dimensions

L 15cm/6in
W 15cm/6in
H 25cm/9in

Weight

2kg/4lb

Materials

Recycled plastic,
aluminium, brass

Suspension

300cm/118in cable included
(increased cable length available
upon request)
Canopy: 10cm/4in round in textured
RAL9010 finish

Illumination

Replaceable GU10 LED spot*
Input: 220VAC-240 0.2A
50/60HZ
Max power consumption 4 Watts
Light output: 260 Lumens
Colour Temperature: 2200-2700K
dim to warm, 90+CRI
Life Hours 25,000
Dimming: Phase-cut

*Comes without spots for US
clients

Compliance


CE

Maintenance

Clean with dry cloth
Indoor use only

KOOIJ *Bloown Big*

Specsheet



Dimensions

L 20cm/9in
W 20cm/9in
H 50cm/20in

Weight

2kg/4lb

Materials

Recycled plastic,
aluminium, brass

Suspension

300cm/118in cable included
(increased cable length available
upon request)
Canopy: 10cm/4in round in textured
RAL9010 finish

Illumination

Replaceable GU10 LED spot*
Input: 220VAC-240 0.2A
50/60HZ
Max power consumption 4 Watts
Light output: 260 Lumens
Colour Temperature: 2200-2700K
dim to warm, 90+CRI
Life Hours 25,000
Dimming: Phase-cut

*Comes without spots for US
clients

Compliance

CE

Maintenance

Clean with dry cloth
Indoor use only